











# *Building Your Visions*








Ferguson

**Ferguson Curtain Wall Systems**

SYSTEM	100 Series	100 Series	110 Series and 110V Series	130 Series	135 Series
Product	DG (Double Glazed)	SG (Silicone)	DG (Double Glazed)	DG (Double Glazed)	DG (Double Glazed)
Typical Detail					
Mullion Width	63.5 mm	63.5 mm	51 mm	63.5 mm	51 mm
Depths	70, 100, 134, 154 mm 184 mm	70, 101, 134, 154 mm	70, 101 mm	70, 101, 134, 153 mm 184 mm	70, 101 mm
Caps	See cap selection page	Silicone	See cap selection page	See cap selection page	See cap selection page
Gaskets	Silicone Compatible Exterior: Gasket Interior: shim tape	Interior: shim tape	Silicone Compatible Exterior: Gasket Interior: shim tape or visionstrip (110V)	Silicone Compatible Exterior: Gasket Interior: Gasket	Silicone Compatible Exterior: Gasket Interior: Gasket
Thermal	PVC Thermal Break		PVC Thermal Break	PVC Thermal Break	PVC Thermal Break
Installation	Stick Built	Stick Built	Stick Built	Stick Built	Stick Built
Performance	Performance data and test reports available on request				
Additional Components	Doors, vents, Sunshades, Spandrel panels	Vents Spandrel panels	Doors, vents, Sunshades, Spandrel panels	Doors, vents, Sunshades, Spandrel panels	Doors, vents, Sunshades, Spandrel panels

SYSTEM	130 Series	130 Series	130 Series	130HP Series	130HP Series
Product	SG (Silicone)	STG (Silicone Triple)	Toggle (4-sided silicone)	SHG (Silicone)	DG (Double Glazed)
Typical Detail					
Mullion Width	63.5 mm	63.5 mm	63.5 mm	63.5 mm	63.5 or 89 mm
Depths	70, 100, 134, 154 mm 184 mm	70, 100, 134, 154 mm 184 mm	70, 100, 134, 154 mm 184 mm	70, 100, 134, 154 mm 184 mm	70, 100, 134, 154 mm 184 mm
Caps	Silicone	Silicone	Silicone	Silicone	See cap selection page
Gaskets	Interior: Gasket	Interior: Gasket	Interior: Gasket	Interior: Gasket	Silicone Compatible Exterior: Gasket Interior: Gasket
Thermal			PVC Thermal Break	I-strut (high performance)	I-strut (high performance)
Installation	Stick Built	Stick Built	Stick Built	Stick Built	Stick Built
Performance	Performance data and test reports available on request				
Additional Components	Vents Spandrel panels	Vents Spandrel panels	Spandrel panels	Vents Spandrel panels	Doors, vents, Sunshades, Spandrel panels

SYSTEM	130HP Series	130HP Series	I-Tube	I-Tube	1400 Series
Product	TG (Triple Glazed)	TGFP (Fibreglass P/P)	DG Double Glazed	SG Silicone	SG (Silicone)
Typical Detail					
Mullion Width	63.5 or 89 mm	63.5 mm	89 mm	89 mm	74, 89, 94mm
Depths	70, 100, 134, 154 mm 184 mm	70, 100, 134, 154 mm 184 mm	180 mm	180 mm	138 to 230mm
Caps	See cap selection page	See cap selection page	See cap selection page	See cap selection page	
Gaskets	Silicone Compatible Exterior: Gasket Interior: Gasket	Silicone Compatible Exterior: Gasket Interior: Gasket	Silicone Compatible Exterior: Gasket Interior: Gasket	Silicone Compatible Interior: Gasket	External Expansion Gasket Interior: Gasket
Thermal	I-strut (high performance)	I-strut (high performance)	I-strut (high performance)		HP Thermal Break Profile
Installation	Stick Built	Stick Built	Stick Built	Stick Built	Unitized
Performance	Performance data and test reports available on request				
Additional Components	Doors, vents, Sunshades, Spandrel panels	Doors, vents, Sunshades, Spandrel panels	Sunshades, Spandrel panels	Spandrel Panels	Doors, Vents Spandrel panels

## CAP SELECTION

Custom profiles available

